


A USERS GUIDE TO KLYSHN II: A MULTIFLUID TRANSPORT CODE 1/1
(U) NAVAL RESEARCH LAB WASHINGTON DC D S SPICER ET AL.
14 JUN 84 NRL-MR-5348 SBI-AD-E000 581

F/B 9/2

NL

[illegible]



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

(2)

ADE 000 581

NRL Memorandum Report 5348

A Users Guide to KLYSMA II: A Multifluid Transport Code

D. S. SPICER

*Geophysical and Plasma Dynamics Branch
Plasma Physics Division*

R. W. CLARK

*Plasma Radiation Branch
Plasma Physics Division*

June 14, 1984

This research was supported by the Defense Nuclear Agency under Subtask S99QMXBC,
work unit 00119 and work unit title "Early Time Dynamics."



DTIC
ELECTE
JUL 27 1984
S B

NAVAL RESEARCH LABORATORY
Washington, D.C.

Approved for public release; distribution unlimited

AD-A143 784

DTIC FILE COPY

100-1143-180


REPORT DOCUMENTATION PAGE				
1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b RESTRICTIVE MARKINGS	
2a SECURITY CLASSIFICATION AUTHORITY			3 DISTRIBUTION AVAILABILITY OF REPORT	
2b DECLASSIFICATION/DOWNGRADING SCHEDULE			Approved for public release; distribution unlimited.	
4 PERFORMING ORGANIZATION REPORT NUMBER(S) NRL Memorandum Report 5348			5 MONITORING ORGANIZATION REPORT NUMBER(S)	
6a NAME OF PERFORMING ORGANIZATION Naval Research Laboratory		6b OFFICE SYMBOL (If applicable) Code 4780		7a NAME OF MONITORING ORGANIZATION
6c ADDRESS (City, State and ZIP Code) Washington, DC 20375			7b ADDRESS (City, State and ZIP Code)	
8a NAME OF FUNDING SPONSORING ORGANIZATION Defense Nuclear Agency		8b OFFICE SYMBOL (If applicable)		9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER
8c ADDRESS (City, State and ZIP Code) Washington, DC 20305			10 SOURCE OF FUNDING NOS.	
11 TITLE (Include Security Classification) A Users Guide to KLYSMA II: A Multifluid Transport Code			PROGRAM ELEMENT NO 62715H	WORK UNIT NO DN380-296
12 PERSONAL AUTHOR(S) Spicer, D.S. and Clark, R.W.				
13a TYPE OF REPORT Interim	13b TIME COVERED FROM 10/83 TO 10/84		14 DATE OF REPORT (Yr., Mo., Day) June 14, 1984	15 PAGE COUNT 38
16 SUPPLEMENTARY NOTATION This research was supported by the Defense Nuclear Agency under Subtask S99QMXBC, work unit 00119 and work unit title "Early Time Dynamics."				
17 COSATI CODES			18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB GR	Multifluid Anomalous transport Electron-ion instabilities	
			Flux-corrected transport Ion-ion instabilities	
19 ABSTRACT (Continue on reverse if necessary and identify by block number) This report documents a new one-dimensional multi-fluid transport code designed to study the cross-magnetic field transport of magnetized plasma in the presence of both anomalous and classical transport processes, radiation, and chemical reactions.				
20 DISTRIBUTION AVAILABILITY OF ABSTRACT UNCLASSIFIED (LIMITED) <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS <input type="checkbox"/>			21 ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a NAME OF RESPONSIBLE INDIVIDUAL D. S. Spicer			22b TELEPHONE NUMBER (Include Area Code) (202) 767-3630	22c OFFICE SYMBOL Code 4780

CONTENTS

I. INTRODUCTION	1
II. BASIC PHYSICAL PROCESSES AND NUMERICAL ALGORITHMS ...	1
III. CODE STRUCTURE	7
IV. DEFINITIONS	12
V. CASE RUN	19
ACKNOWLEDGMENTS	26
REFERENCES	26

DTIC
ELECTE
S JUL 27 1984 **D**
B

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
NTIS TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	.



A USERS GUIDE TO KLYSMA II: A MULTIFLUID TRANSPORT CODE

I. Introduction

This report documents a new one dimensional multifluid transport code, KLYSMA II, designed to study the cross-field transport of magnetized plasma in the presence of both anomalous and classical transport processes, radiation, and chemical reactions. Because the code was designed for research, as well as production purposes, versatility was incorporated at its conception. It is modular, well documented, and incorporates a variety of logical switches so that many physical processes may be switched on and off to study their effect on the problem under consideration. In addition the code, while built on a VAX-780, was constructed with vectorization in mind. We note that KLYSMA II differs from KLYSMA in many ways: better numerical algorithms are used (e.g., advanced FCT, implicitly solves the coupled set of ion and electron diffusion equations), new physics is incorporated (e.g., electrons and ions are thermally coupled, new instabilities are considered such as the lower-hybrid-drift instability), the code is vectorized, and the code is well-documented. In addition, very little physics is "hard wired" in KLYSMA II so that modifications and/or upgrades can be easily made as the need arises.

In section II we present the physical processes incorporated into KLYSMA II, the equations that describe these processes, the transport coefficients used, and the numerical algorithms utilized. In section III we present the structure of KLYSMA II and describe the purpose of each module. In section IV all the logical control parameters are defined as well as their purpose. Further a definition for each global array or parameter utilized by KLYSMA II will be given. Finally in section V we present a model run to illustrate the use of the code.

II. Basic Physical Processes and Numerical Algorithms

KLYSMA II is designed to study how the cross-magnetic field transport of a species of ions j with density n_j , temperature T_j and velocity \underline{V}_j interacts one dimensionally with an ambient plasma of ion density n_k , ion temperature T_k , and velocity \underline{V}_k , electron density n_e , electron temperature T_e , and electron velocity \underline{V}_e in the presence of a magnetic field \underline{B} . Because the heating and momentum coupling rates may be controlled by either collective ("anomalous") plasma processes and/or classical binary collisions, prescriptions for the computation of collective cross-field transport processes, as well as

Manuscript approved March 2, 1984.

classical transport processes, are incorporated into KLYSMA II. The anomalous transport coefficients and the prescriptions for their use that are incorporated into KLYSMA II, with the exception of the lower hybrid drift instability (LHDI) and the drift cyclotron instability (DCI), can be found in Lampe et al (1975). The transport coefficients resulting from the LHDI and DCI, and the prescriptions for their use were obtained from Huba (1983). All classical transport coefficients utilized in KLYSMA II can be found in Braginskii (1965).

The following equations are solved:

$$\frac{\partial n_j}{\partial t} + \underline{v} \cdot (n_j \underline{v}_j) = 0 , \quad (1)$$

ion continuity equation,

$$\begin{aligned} \frac{\partial}{\partial t} (m_j n_j \underline{v}_j) + \underline{v} \cdot (m_j n_j \underline{v}_j \underline{v}_j) = \\ - \underline{v} P_j + Z_j n_j e (\underline{E} + \frac{\underline{v}_j \times \underline{B}}{c}) + \underline{R}_j , \end{aligned} \quad (2)$$

ion momentum equation,

$$\frac{1}{(\gamma_j - 1)} \left[\frac{\partial P_j}{\partial t} + \underline{v}_j \cdot \underline{v} P_j \right] = - P_j \underline{v} \cdot \underline{v}_j - \underline{v} \cdot \underline{q}_j + Q_j \quad (3)$$

ion pressure equation,

$$\underline{E} = \frac{-\underline{v}_e \times \underline{B}}{c} - \frac{\underline{v} P_e}{en_e} + \underline{R}_e , \quad (4)$$

force balance on electrons,

$$\frac{1}{(\gamma_e - 1)} \left[\frac{\partial P_e}{\partial t} + \underline{v}_e \cdot \underline{v} P_e \right] = P_e \underline{v} \cdot \underline{v}_e - \underline{v} \cdot \underline{q}_e + Q_e , \quad (5)$$

electron pressure equation,

$$N_e = \sum_j Z_j N_j , \quad (6)$$

quasi-neutrality,

$$\nabla \times \underline{E} = - \frac{1}{c} \frac{\partial \underline{B}}{\partial t}, \quad (7)$$

Faraday's Equation,

$$\nabla \cdot \underline{B} = 0 \quad (8)$$

and

$$\underline{V}_e = \sum_j Z_j n_j \underline{V}_j - \frac{c}{4\pi n_e} \nabla \times \underline{B}, \quad (9)$$

Ampere's Equation,

where $P_j = n_j k_b T_j$, e is the magnitude of the electron charge, Z_j the charge state of the ion species j , m_j the mass of ion species j , and m_e the electron mass.

\underline{R}_j represents the rate of momentum exchange between ion species k and j , and between ion species j and electrons, and has the general form

$$\underline{R}_j = \sum_{k=i,e} v_{jk} \frac{n_k m_k n_j m_j}{n_j m_j + n_k m_k} (\underline{V}_k - \underline{V}_j), \quad (10)$$

where v_{jk} represents the total effective collision frequency (both anomalous and classical) between species k and ion species j or the electrons. Q_j represents the rate at which ion species j is heated or cooled $\text{cm}^{-3}\text{s}^{-1}$ due to energy exchange between ion species j and the other plasma constituents and has the form

$$Q_j = \sum_k v_{jk} (\underline{V}_k - \underline{V}_j)^2 \frac{n_j m_j n_k m_k}{n_j m_j + n_k m_k} + \frac{3m_e}{m_j} \frac{n_e k_b}{\tau_{ej}} (T_e - T_j), \quad (11)$$

where the index k in the sum runs only over the ion species,

$$\tau_{ej} = \frac{3/m_e (k_b T_e)^{3/2}}{4\sqrt{2\pi} \lambda e^4 Z_j^2 n_j},$$

and λ is the Coulomb logarithm (Braginskii, 1965, p.215). \underline{q}_j represents the perpendicular to \underline{B} heat flux carried by the ion species j and has the form

$$\underline{q}_j = K_j^j \underline{\nabla}_j (k_b T_j), \quad (12)$$

where

$$\kappa_j = \frac{n_j k_b T_j \tau_j}{m_j} \frac{(\alpha x^2 + \beta)}{(x^4 + \gamma x^2 + \delta)},$$

$$\tau_j = \text{MINIMUM} \left(\frac{3/m_j (k_b T_j)^{3/2}}{4\sqrt{\pi} e^4 Z_j^4 n_j}, \tau_{jan} \right),$$

τ_{jan} being the anomalous value of τ_j due to collective processes, $x = \Omega_{cj} \tau_j$, $\Omega_{cj} = Z_j e B / m_j c$, and $\alpha, \beta, \gamma, \delta$ are given by Braginskii (1965) according to the charge state of the ion species j .

q_e is the electron heat flux given by

$$\underline{q}_e = -K_j^e \underline{\nabla}_j (k_b T_e), \quad (13)$$

where

$$K_j^e = \frac{n_e k_b T_e \tau_{eff}}{m_e} \frac{(\gamma_1 y^2 + \gamma_0)}{(y^4 + \delta_1 x^2 + \delta_0)},$$

$\tau_{eff} = \text{MINIMUM} (\tau_e, \tau_{an})$, τ_{an} being the anomalous value of τ , $y = \Omega_{ce} \tau_{eff}$, $\Omega_{ce} = e B / m_e c$, and $\gamma_1, \gamma_0, \delta_1, \delta_0$ are given by Braginskii.

The quantity \underline{R}_e and Q_e represent, respectively, the rate at which momentum and energy is gained or lost by electrons and have the form

$$\underline{R}_e = \sum_k m_e n_e v_{eff} (\underline{v}_k - \underline{v}_e) \quad (14)$$

and

$$\underline{Q}_e = \sum_k \left\{ m_e n_e v_{eff} (\underline{v}_k - \underline{v}_e)^2 + \frac{3 m_e n_e k_b}{m_k \tau_{ek}} (T_k - T_e) \right\} - R_{rad}, \quad (15)$$

where R_{rad} represents radiation losses.

These equations are solved in a time split fashion because of the wide range of time scales associated with the physical processes contained in equations (1) - (9). Momentum exchange between ion species, and electrons represented by \underline{R}_j in (2), is treated implicitly, as are the thermal transport and the source and sink terms generically denoted by

$$-\nabla \cdot \mathbf{q} + Q$$

(16)

in equations (3) and (5). All other source terms in equations (2)-(5) are treated as explicit source terms for the appropriate calls to the explicit FCT module DSSFCT (Boris, 1976).

The module MULTIF performs all convective transport by splitting the integration into half and full time steps so as to achieve space and time centering. Module MULTIF calls MONTRN which implicitly exchanges momentum among the various plasma constituents. If the user selects LTCENT = .FALSE. the hydro timestep DT is split into many subcycles each with a time step DTC such that $DT = NTIME * DTC$. DTC is the time step associated with the shortest physical process contained in Q of (16). Under these circumstances the classical and anomalous transport coefficients are updated NTIME times with DIFFX3 being called after each update. DIFFX3 is an implicit module designed to be fully compatible with the FCT module. Physically subcyclng the heating, cooling, and equilibration terms in the pressure equations is fully justified because Q changes very rapidly on a hydro time scale making it necessary to update the flow quantities less frequently. However, in the event the user prefers a fully time centered run, which is less economical but nevertheless more accurate, taking LTCENT = .TRUE. will achieve this so that $DT = DTC$ and $NTIME = 1$. DIFFU3, which is called by DIFFX3, solves (implicitly the ion and electron) diffusion equations, together with equilibration and source terms, simultaneously utilizing the time step determined by DTSET and the condition of LTCENT. It incorporates a special finite differencing technique that requires the energy flux from the center of the cell I to the interface of the cell to equal the energy flux from the interface to the center of the cell I+1. This allows the temperature drop between cells to occur predominately in the cell with the smaller coefficient of thermal conduction, as would occur physically.

Subroutine REZONE allows the user to "window" the flow via a sliding rezone technique that uses the maximum and minimum velocity of ion specie 2 (the debris or "injected ion") to slide the window along with the flow if FLAG = 0.0, or a Lagrangian capability if FLAG = 1.0. The subroutine DTSET computes self-consistently the time-step necessary for numerical stability as


well as enforcing the condition that no physical quantity vary by more than $\sim 5\%$ in a timestep.


Ideally, debris (ion fluid 2) - air (ion fluid 1) coupling should be studied with a macroparticle or hybrid scheme which resolves the complex interaction of the two streams in velocity space. This is not always feasible for reasons which include economics and machine limitations. A compromise can be achieved through the use of a multi-fluid scheme. It permits the air and debris plasmas to maintain separate identities, and to interpenetrate. With a single fluid scheme, stagnation flow occurs at the debris-air interface and all local relative streaming energy is transformed into thermal energy. There is no way to study anomalous ion-ion coupling with the latter scheme, since the single fluid assumption implies a single fluid velocity at every point.

With as few as two fluids, a multifluid scheme can reproduce rather faithfully the configuration in phase space predicted by a macroparticle scheme. In one respect, however, it will eventually predict incorrect behaviour unless corrective measures are taken. Air plasma which has "coupled" via collisions, classical or collective, or via Larmor processes, to the expanding debris plasma subsequently moves along with the debris, i.e., it is picked up. This picked up air and debris mixture then interacts with the incoming upstream air plasma, via the same processes which earlier coupled the debris to the picked air, rather than stagnating and producing a shock. One way to deal with this pickup is to reassign some portions of the picked-up air fluid to the debris fluid. This is implemented in KLYSMA via SHUFF. SHUFF uses the assumption that both air and debris have Maxwellian radial velocity distributions. It then imposes a velocity cutoff, such that all plasma above the cutoff velocity is considered to be debris, and all plasma below it is taken to be air. In addition, conservation of mass, momentum, energy, and charge are imposed in the transfer process.

III. Code Structure

As noted in the introduction the code is modular, the code is driven from the main subroutine MAINMF, which is structured as follows:





SUBROUTINE INITIAL

This subroutine reads initial data, boundary conditions, and boundary condition factors off disc to initiate the run. In addition, it sets up the initial conditions. In general this fortran module will be the one most likely modified by the user.

SUBROUTINE RSTART

This subroutine restarts the run at the necessary time step by reading from disc the data written there by DUMPER. Subroutine DUMPER must be called at least once before calling RSTART. For example, the user may want to run the code first from 1 to the 2001 timestep, and then dump the data to disc for restarting. Thus initially LDUMP = .TRUE. and LRESTR = .FALSE. When restarting the code at timestep 2001 LRESTR must be .TRUE.. LDUMP may be .TRUE. or .FALSE. depending on whether the user wants to restart KLYSMA II again.

SUBROUTINE ZERO

This subroutine simply sets to zero all arrays that are used in summation processes.

SUBROUTINE COUPLE

This subroutine computes a variety of physical parameters needed to compute both the classical and anomalous transport coefficients. Both ANOMAL and CLASS are entries to COUPLE. COUPLE must be called prior to either ANOMAL or CLASS.

ENTRY ANOMAL

This entry into couple computes the cross-field anomalous transport coefficients based on Lampe et al (1975).

ENTRY CLASS

This entry into couple computes the cross-field classical transport coefficients obtained from Braginsky (1965).

SUBROUTINE PRNT

This subroutine prints all transported quantities as well as the individual source terms for the momentum and temperature equations. IPRNT determines the number of time cycles between calls to PRNT.

SUBROUTINE PAGEPL (CALCM)

This subroutine generates page plots (versatex plots using NCAR plot package) of the same quantities printed by PRNT. IPAGE determines the number of time cycles between calls to PAGEPL (CALCM).

SUBROUTINE DIAG

This subroutine generates a time (or ordinate) versus distance (abscissa) curve of the position of the coupling shell. The point at which the magnetic field has a maximum is used as the spatial position of the coupling shell at time t.

SUBROUTINE DTSET

This subroutine is designed to determine the maximum timestep permitted that will still be numerically stable. It computes both DTC and DT.

SUBROUTINE DIFFX3

This subroutine transports the thermal heat flux of the electrons and ions perpendicular to the attendant magnetic field as well as the thermal sources and sinks. It utilizes a special subroutine DIFFU3 that implicitly solves the coupled set of ion and electron diffusion equations and is designed to be fully compatible with the FCT Module DSSFCT. A call to DIFGE3 must be made prior DIFFU3 so that the updated metric coefficients needed in DIFFU3 are generated.

SUBROUTINE MULTIF

This subroutine is the heart of KLYSMA. It utilizes the FCT Module DSSFCT to solve the various fluid equations. Note that the transport coefficients used in these source terms are not time centered when LTCENT = .FALSE. However, when LTCENT = .TRUE. all of the transport coefficients,

anomalous and classical, are recomputed both at the half and the full time step. In addition, DIFFX3 is called at both the half and full time step if LTCENT = .TRUE.

MULTIF also calls a Subroutine REZONE that keeps the flow "windowed" spatially between the maximum and minimum values of the debris velocity.

SUBROUTINE SHUFF

This subroutine is designed to allow air (J=1 fluid) to be picked up by the faster moving debris (J=2 fluid) and for any deaccelerating debris to be converted to slower air. To accomplish this an algorithm is used that assumes both ion species are locally Maxwellian within a grid cell and drifting with a speed $VIX(I,J)$. In addition, it is assumed that whenever the air fluid velocity exceeds $V_D = (VIX(I,1) + VIX(I,2))/2$ that fraction of the air distribution that exceeds V_D becomes debris. In other words the fraction $\int_{-\infty}^{V_D} f_{air} dv_x$ stays air and the fraction $\int_{V_D}^{\infty} f_{air} dv_x$ becomes debris. Likewise for the debris. With these assumptions, together with the requirements that mass, momentum, energy and charge be conserved within a cell volume adjusted densities, velocities, temperatures, and charges are computed.

SUBROUTINE HANE\$

This subroutine contains three entries, HANE\$, SOLAR\$, and LASER\$, each of which computes the initial conditions for a HANE, SOLAR, or LASER Run.

SUBROUTINE ILEAK

This subroutine computes the total number of debris ions loss from the coupling shells, as well as, the total debris energy loss based on the loss cone instability.

IV. DEFINITIONS

The Module GLOBMF.FOR contains all the parameters global to KLYSMA. The following common blocks are included in GLOBMF.FOR.

COMMON/DIM/

NSPEC:	Number of ion species, presently dimensioned as MSPEC = 2 in the parameter statement
NCHEM:	Number of ionization levels followed for each ion species
NINSTE:	Number of electron-ion two stream instabilities, presently dimensioned as MINSTE = 4 in the parameter statement
NINSTI:	Numer of ion-ion two stream instabilities, presently dimensioned as MINSTI = 2 in the parameter statement

COMMON/PHYSIC/

NI (NPT, MSPEC):	ion number densities (particles cm^{-3})
TI (NPT, MSPEC):	ion temperatures (degrees Kelvin)
VIX (NPT, MSPEC):	ion drift velocities in x direction (cm/s)
VIY (NPT, MSPEC):	ion drift velocities in y direction (cm/s)
VIZ (NPT, MSPEC):	ion drift velocities in z direction (cm/s)
PI (NPT, MSPEC):	ion pressures (dynes/ cm^2)
RHO (NPT, MSPEC):	ion mass densities (grams cm^{-3})
RHOI (NPT, MSPEC):	inverse of RHO
NE (NPT):	electron number density (particles/ cm^3)
VEX (NPT):	electron drift velocity in x-direction (cm/s)
VEY (NPT):	electron drift velocity in y-direction (cm/s)
VEZ (NPT):	electron drift velocity in z-direction (cm/s)
BY (NPT):	Y-component of magnetic field (gauss)
BZ (NPT):	Z-component of magnetic field (gauss)
EX (NPT):	X-component of electric field (statvolts/cm)
EY (NPT):	Y-component of electric field (statvolts/cm)
EZ (NPT):	Z-component of electric field (statvolts/cm)
TE (NPT):	electron temperature (degrees Kelvin)
JY (NPT):	y component of current density (statamps/ cm^2)
JZ (NPT):	z component of current density (statamps/ cm^2)
PE (NPT):	electron pressure (dynes cm^{-2})

UNIT (NPT): array of which all elements are one
 ZERO (NPT): array of which all elements are zero
 PEDX (NPT): derivative of PE with respect to x

COMMON/CYCLE

MINSTP: index of STARTING VALUE of time loop
 MAXSTP: index of final value of time loop
 IDIAG: frequency of calls to DIAG
 IPRNT: frequency of calls to PRNT
 IPAGE: frequency of calls to PAGEPL
 IFlick: frequency of calls to FLICK (dummy at present)
 ISTEP: value of index corresponding to timestep
 IDUMP: frequency of intermediate dumps

COMMON/MESH/

XCOR (NPT): positions of cell centers
 XCORH (NPC): positions of cell interfaces
 NX: number of cells (or grid points)
 NX1: NX+1 number of cell interfaces
 NX2: NX+2
 ALPHA: Geometry chosen cartesian (ALPHA = 1), cylindrical
 (ALPHA = 2), or spherical (ALPHA = 3)
 FLAG: used if LAGRANGIAN code, FLAG = 0.0 Eulerian,
 FLAG = 1.0 Lagrangian, must be used in conjunction
 with LREZONE = .TRUE.
 DT: hydro time step (secs)
 TIME: TIME (secs)
 DTC: TIME STEP associated with shortest physical process
 modelled by code
 NTIME: NTIME = MAX (DT/DTC, 1)
 COURT: COURANT FACTOR

COMMON/PARA/

CS (NPT, MSPEC): ion sound speed (cm/s)
 WPI (NPT, MSPEC): ion plasma frequency (Hertz)

WCI (NPT, MSPEC): ion cyclotron frequency (Hertz)
 VTI (NPT, MSPEC): ion thermal speed (cm/s)
 VA (NPT, MSPEC): individual ion Alfvén speed (cm/s)
 VDEIX (NPT, MSPEC): absolute value of ion-electron drift speeds in
 x-direction (cm/s)
 VDEIP (NPT, MSPEC): absolute value of ion-electron drift speeds
 perpendicular to B (cm/s)
 RCI (NPT, MSPEC): ion thermal Larmor radii
 GYRRAD (NPT, MSPEC): ion non-thermal Larmor radii
 UIJ (NPT): absolute value of ion-ion drift speed in
 in x-direction (cm/s)
 VTE (NPT): electron thermal speed (cm/s)
 WPE (NPT): electron plasma frequency (Hertz)
 WCE (NPT): electron cyclotron frequency (Hertz)

COMMON/BOUND/ see Boris NRL Memo Report (3237)

NIR (MSPEC): RIGHT ion density boundary condition factor
 NIL (MSPEC): LEFT ion density boundary condition factor
 NIRO (MSPEC): RIGHT ion density boundary value
 NILO (MSPEC): LEFT ion density boundary value
 VIXR (MSPEC): RIGHT ion x-velocity boundary condition factor
 VIXL (MSPEC): LEFT ion x-velocity boundary condition factor
 VIXRO (MSPEC): RIGHT ion x-velocity boundary value
 VIXLO (MSPEC): LEFT ion x-velocity boundary value
 VIYR (MSPEC): RIGHT ion y-velocity boundary condition factor
 UIYL (MSPEC): LEFT ion y-velocity boundary condition factor
 VIYRO (MSPEC): RIGHT ion y-velocity boundary value
 VIYLO (MSPEC): LEFT ion y-velocity boundary value
 TIR (MSPEC): RIGHT ion temperature boundary condition factor
 TIL (MSPEC): LEFT ion temperature boundary condition factor
 TIRO (MSPEC): RIGHT ion temperature boundary value
 TILO (MSPEC): LEFT ion temperature boundary value
 TER: RIGHT electron temperature boundary condition factor
 TEL: LEFT electron temperature boundary condition factor
 TERO: RIGHT electron temperature boundary condition
 TELO: LEFT electron temperature boundary condition

BZR: RIGHT z-component of B boundary condition factor
 BZL: LEFT z-component of B boundary condition factor
 BZRO: RIGHT z component of B boundary value
 BZLO: LEFT z-component of B boundary value

COMMON/CHEM/

RAD (NPT): Radiation Losses (ergs/cm³/s)
 NIZ (NPT, MSPEC, NCHEM): Particles cm⁻³ for each ionization state of a
 given ion specie

COMMON/TRANS/

VPIX (NPT, MSPEC, MINSTE): Phase velocities in x-direction for a given
 electron-ion two stream instability (cm/s)
 VPIEY (NPT, MSPEC, MINSTE): Phase velocities in y-direction for a given
 electron-ion two stream instability (cm/s)
 VEFF (NPT, MSPEC, MINSTE): effective collision frequencies resulting
 from a given electron-ion two stream instability (Hertz)
 VEFFII (NPT, MINSTI): effective ion-ion collision frequency resulting
 from a given ion-ion two stream instability (Hertz)
 VP II (NPT, MINSTI): phase velocities in x-direction for a given ion-ion
 two stream instability (cm/s)
 EQBIE (NPT, MSPEC): classical electron-ion equilibration frequencies
 (Hertz)
 VEI (NPT, MSPEC): classical electron-ion collisional frequencies (Hertz)
 COLJE (NPT, MSPEC): total effective electron-ion collision frequency,
 anomalous + classical (Hertz)
 KAPI (NPT, MSPEC): ion thermal conduction coefficient
 VII (NPT, MSPEC): classical ion-ion collision frequency (Hertz)
 EQBIK (NPT, MSPEC): classical ion-ion equilibration frequency (Hertz)
 COLKJ (NPT, MSPEC): classical ion-ion momentum exchange rate
 OFFLAR (NPT, MSPEC): binary switch used to turn off Larmor coupling
 terms if effective ion-ion collision frequency exceeds ion gyro frequency
 COLJK (NPT, MSPEC, MINSTI): anomalous ion-ion momentum exchange rate
 RESIS (NPT): classical resistivity (sec)
 KAPE (NPT): electron thermal conduction coefficient
 RSIZE: system size parallel to B field (cm)

COMMON/TIMSTP/

DRAG(NPT, 16, MSPEC): individual terms that result in ion acceleration or
drag (dynes)

IONH(NPT, 16, MSPEC): individual terms that result in ion cooling or
heating (ergs/cm³/s)

ELECH(NPT, 16): individual terms that result in electron heating or
cooling (ergs/cm³/s)

COMMON/CONST/ - all physical constants are c.g.s.

EC: Electron charge, ECI = 1.0/EC
BK: Boltzmann's constant, BKJ = 1.0/BK
C: Speed of light, CI = 1.0/C
PIE: 3.145927
PIE4: 4.0 * PIE
PIE8: 8.0 * PIE
EM: electron mass
EMEC: EM/EC
GAME: electron ratio of specific heats
GAME1: GAME-1
GAME2: GAME-2
GAMI ion ratio of specific heats
GAMI1: GAMI-1
GAMI2: GAMI-2
EVK: Conversion fractor from eV to degrees Kelvin

COMMON/ION/

MASS (MSPEC): ion masses (grams)
MASSI (MSPEC): inverse of MASS
MR (MSPEC): electron to ion mass ratio for each ion specie
SQMR (MSPEC): inverse of SQMR
SMASSI (MSPEC): square root of MASSI
Z(NPT, MSPEC): ion charge

COMMON/LOGIC/

LPAGE: control switch to call PAGEPL
LPRNT: control switch to call PRNT
LCPLE: control switch to call COUPLE
LANOM: control switch to call ANOMAL
LCLASS: control switch to call CLASS
LRESTR: control switch to call RSTART
LDUMP: control switch to call DUMPER
LNEU: control switch to call NEUTRALS (Dummy for now)
LRAD: control switch to call RADIAT (Dummy for now)
LDOAG: control switch to call DIAG
LIAI: switches on ion-acoustic instability if LANOM = TRUE
LBCI: switches on beam cyclotrm instability if LANOM = TRUE
LMTI: switches on modified two stream instability if LANOM = TRUE
LMII: switches on magnetized ion-ion instability if LANOM = TRUE
LUII: switches on unmagnetized ion-ion instability if LANOM = TRUE
LHDI: switches on unmagnetized lower hybrid drift instability
if LANOM = TRUE
LVISCO: switches on artificial viscosity
LDIFF: control switch for DIFFX3
LARMOR: switches on or off ion Larmor coupling
LSHUFF: control switch to call SHUFF
LILEAK: control switch to call ILEAK
LTCENT: if true transport is fully time and space centered
LSTION: control switch to call Supra thermal ion module
(dummy for now)
LBOHM: control switch to call BOHM (dummy for now)
LCHEM: control switch to call chemistry module
LJAC71: control switch to call JAC71 - not used
LHANE: control switch to call HANE
LSOLAR: control switch to call SOLAR
LLASER: control switch to call LASER
LECHO: control switch to call to give positions for module transfer
LSTOP: control switch to call to stop code
LFLICK: control switch to call FLICK (Dummy for now)
LREZON: control switch to call REZONE

LCALCM control switch to call CALCM
LPARTX control switch to call PARTX (Dummy for now)

COMMON/REZONE/

IMAX: index where VIX (1,2) has its maximum
IMIN: index where VIX (1,2) has its minimum
VNEW (NPT): see subroutine rezone
XOLD (NPT): old x-coordinates

COMMON/HANE/

HRA: hour of HANE, military time
LAT: latitude of HANE
DAY: day of year based on sequential numbering
ALT: altitude
YIELD: energy yield of HANE in megatons
WMASS: weapon mass in kilograms
RXRADN: ionization distance
BACKIZ: level of background ionization
NTOTAL: total number of debris ions
RMASS: Radius at a weapon mass of ambient plasma

COMMON/ILEAK/

NLOSS: total number of debris ions loss down field lines
ELOSS: total energy of debris ions loss down field lines
IFLUX (2000): debris ion flux (particles $\text{cm}^{-2} \text{sec}^{-1}$)

V. CASE RUN

The following initial data and boundary condition factors were used to initialize the run presented below.

The output for this run is presented below. No physical interpretation of this output will be presented here since the results are only presented for code documentation purposes. The initialization parameters given, while arbitrary, are designed to test the code performance. The run starts at time = 0.0 and runs up to 0.5 millisecs. Figure 1 illustrates the initial profiles selected (viz., densities, temperatures, pressures, electric fields, and magnetic field), while Figure 2 illustrates the formation of the debris-air interface $t \approx 0.5$ millisecs. Within this interface air is swept up by the debris, a laminar electric field capable of debris air acceleration is formed, and significant ion-electron heating occurs.

\$CYC

MINSTP = 1,
MAXSTP = 101,
IFLICK = 500,
IDIAG = 10,
IPRNT = 100,
IPAGE = 100,
IDUMP = 10,
NSPEC = 2.

\$END

\$BCI

NIR(1)	= 0.0,	NIR(2)	= 1.0,
NIL(1)	= 1.0,	NIL(2)	= 1.0,
NIRO(1)	= 5.504E7,	NIRO(2)	= 0.0,
NILO(1)	= 0.0,	NILO(2)	= 0.0,
VIXR(1)	= 1.0,	VIXR(2)	= 1.0,
VIXL(1)	= 1.0,	VIXL(2)	= 1.0,
VIXRO(1)	= 0.0,	VIXRO(2)	= 0.0,
VIXLO(1)	= 0.0,	VIXLO(2)	= 0.0,
VIYR(1)	= 1.0,	VIYR(2)	= 1.0,
VIYL(1)	= 1.0,	VIYL(2)	= 1.0,
VIYRO(1)	= 0.0,	VIYRO(2)	= 0.0,
VIYLO(1)	= 0.0,	VIYLO(2)	= 0.0,
VIZR(1)	= 1.0,	VIZR(2)	= 1.0,
VIZL(1)	= 1.0,	VIZL(2)	= 1.0,
VIZRO(1)	= 0.0,	VIZRO(2)	= 0.0,
VIZLO(1)	= 0.0,	VIZLO(2)	= 0.0,
TIR(1)	= 0.0,	TIR(2)	= 1.0,
TIL(1)	= 1.0,	TIL(2)	= 1.0,
TIRO(1)	= 1.161E7,	TIRO(2)	= 0.0,
TILO(1)	= 0.0,	TILO(2)	= 0.0,
PIR(1)	= 0.0,	PIR(2)	= 1.0,
PIL(1)	= 1.0,	PIL(2)	= 1.0,
PIRO(1)	= 8.81E-2,	PIRO(2)	= 0.0,
PILO(1)	= 0.0,	PILO(2)	= 0.0,
VIR(1)	= 0.0,	VIR(2)	= 0.0,
VIL(1)	= 0.0,	VIL(2)	= 0.0,

\$END

\$IOND

MASS(1) = 2.34E-23, MASS(2) = 4.51E-23,
ZZ(1) = 1.0, ZZ(2) = 1.0,
TIMIN(1) = 1.1605E4, TIMIN(2) = 0.0,
NIMIN(1) = 0.0, NIMIN(2) = 0.0,
TEMIN = 1.1605E4,

\$END

\$BCE

TER	= 0.0,	TEL	= 1.0,
TERO	= 1.161E6,	TELO	= 0.0,
PER	= 1.0,	PEL	= 1.0,
PERO	= 0.0,	PELO	= 0.0,
VER	= 0.0,	VEL	= 0.0,
BYR	= 1.0,	BYL	= 1.0,
BYRO	= 0.0,	BYLO	= 0.0,
BZR	= 0.0,	BZL	= 1.0,
BZRO	= 0.5,	BZLO	= 0.0,

\$END

\$CONTRL

LPAGE = F, LPRNT = T, LCPL = T, LCLASS = T,
LRESTR = F, LDUMP = T, LDIAG = T, LNEU = F,
LRAD = F, LANOM = T, LIAI = T, LBCI = T,
LMTI = T, LMII = T, LUII = T, LHDI = T,

LVISCO = T, LDIFF = T, LJOULE = F, LARMOR = T,
 LSHUFF = T, LILEAK = F, LTCENT = F, LSTION = F,
 LBOHM = F, LCHEM = T, LJAC71 = F, LHANE = T,
 LSOLAR = F, LLASER = F, LECHO = T, LSTOP = F,
 LFLICK = F, LREZON = T, LCAICM = T,

\$END

\$INTDAT

XMIN = 1.0E5,
 XMAX = 1.0E6,
 NX = 99,
 DT = 1.0E-10,
 COURT = 0.2,
 ALPHA = 3,
 TIMEO = 0.0,
 BYO = 0.0,
 BYMIN = 0.0,
 BZO = 0.5,
 BZMIN = 0.0,
 YSCALE = 0.0,
 ZSCALE = 0.0,
 VZERO = 2.0E8,
 NDZERO = 1.0E9,
 NAZERO = 1.0E8,
 TDZERO = 1.1605E7,
 TAZERO = 1.1605E4,
 TEZERO = 1.1605E6,
 RSIZE = 1.0E10,
 FLAG = 1.0,

\$END

\$HANE

HRA = 0.0,
 LAT = 40.0,
 DAY = 180,
 ALT = 400.0,
 YIELD = 1.2,
 WMASS = 1.0,
 TEH = 1.0E6,
 BZRH = 0.5

\$END

\$SOLAR

BETA = 1.0E-3,
 VSOLAR = 1.0E8,
 FMASS = 1.0E12,
 FENER = 5.0E27,
 TIAS = 1.0E6,
 TIDS = 1.0E4,
 TES = 1.0E6,
 NIAS = 1.0E10,
 NIDS = 1.0E12,
 BZRS = 1.0E2,

\$END

\$LASER


JOULES = 30.0,
 TMASS = 4.51E-7,

\$END


\$CHEM

NCHEM(1) = 6,
 NCHEM(2) = 9,
 ACHEM = 1.0,


\$END



(a)




(b)




(c)

Figure 1. Initial conditions ($t = 0$). Shown are the (a) densities, (b) temperatures, (c) pressures, (d) electric fields, and (e) magnetic field profiles used to initialize the run.




(d)




(e)


Figure 1. Initial conditions ($t = 0$). Shown are the (a) densities, (b) (cont'd.) temperatures, (c) pressures, (d) electric fields, and (e) magnetic field profiles used to initialize the run.




(a)



(b)




(c)




(d)


Figure 2. Final conditions ($t = 5.3 \times 10^{-4}$ sec). Shown are the (a) densities, (b) temperatures, (c) x velocity, (d) y velocity, (e) pressures, (f) electric fields, and (g) magnetic field profiles after approximately 0.5 milliseconds.



(e)



(f)



(g)

Figure 2. Final conditions ($t = 5.3 \times 10^{-4}$ sec). Shown are the (a) densities, (b) temperatures, (c) x velocity, (d) y velocity, (e) pressures, (f) electric fields, and (g) magnetic field profiles after approximately 0.5 millisecs.

Acknowledgments

This research was sponsored by the Defense Nuclear Agency.

References

- Boris, J.P.: 1976, "Flux Corrected Transport Modules for Solving Generalized Continuity Equations," NRL Memo Rept. 3237. (AD-A023-891)
- Braginskii, S.I.: 1965, "Reviews of Plasma Physics Vol. I," p. 205, Ed. M.A. Leontovich, Consultants Bureau, N.Y.
- Huba, J.: 1983, private communication.
- Lampe, M., W.M. Manheimer, and K. Papadopoulos: 1975, "Anomalous Transport Coefficients for Hane Applications due to Plasma Micro-instabilities, NRL Memo Rept. 3076. (AD-A014-411)

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE
COMM, CMD, CONT 7 INTELL
WASHINGTON, D.C. 20301

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 685
WASHINGTON, D.C. 20301
O1CY ATTN C-650
O1CY ATTN C-312 R. MASON

DIRECTOR
DEFENSE ADVANCED RSCH PROJ AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLINGTON, VA. 22209
O1CY ATTN NUCLEAR MONITORING RESEARCH
O1CY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER
1860 WIEHLE AVENUE
RESTON, VA. 22090
O1CY ATTN CODE R410
O1CY ATTN CODE R812

DEFENSE TECHNICAL INFORMATION CENTER
CAMERON STATION
ALEXANDRIA, VA. 22314
O2CY

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, D.C. 20305
O1CY ATTN STVL
O4CY ATTN TITL
O1CY ATTN DDST
O3CY ATTN RAAE

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND, AFB, NM 87115
O1CY ATTN FCPR

DEFENSE NUCLEAR AGENCY
SAO/DNA
BUILDING 20676
KIRTLAND AFB, NM 87115
O1CY D.C. THORNBURG

DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
O1CY ATTN DOCUMENT CONTROL

JOINT CHIEFS OF STAFF
WASHINGTON, D.C. 20301
O1CY ATTN J-3 WWMCCS EVALUATION OFFICE

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 68113
O1CY ATTN JLTW-2
O1CY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
O1CY ATTN FCPRL

COMMANDANT
NATO SCHOOL (SHAPE)
APO NEW YORK 09172
O1CY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG
DEPARTMENT OF DEFENSE
WASHINGTON, D.C. 20301
O1CY ATTN STRATEGIC & SPACE SYSTEMS (OS)

WWMCCS SYSTEM ENGINEERING ORG
WASHINGTON, D.C. 20305
O1CY ATTN R. CRAWFORD

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
O1CY ATTN DELAS-EO F. NILES

DIRECTOR
BMD ADVANCED TECH CTR
HUNTSVILLE OFFICE
P.O. BOX 1500
HUNTSVILLE, AL 35807
O1CY ATTN ATC-T MELVIN T. CAPPS
O1CY ATTN ATC-O W. DAVIES
O1CY ATTN ATC-R DON RUSS

PROGRAM MANAGER
BMD PROGRAM OFFICE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
O1CY ATTN DACS-BMT J. SHEA

CHIEF C-E- SERVICES DIVISION
U.S. ARMY COMMUNICATIONS CMD
PENTAGON RM 1B269
WASHINGTON, D.C. 20310
O1CY ATTN C- E-SERVICES DIVISION

COMMANDER
FRADCOM TECHNICAL SUPPORT ACTIVITY
DEPARTMENT OF THE ARMY
FORT MONMOUTH, N.J. 07703
O1CY ATTN DRSEL-NL-RD H. BENNET
O1CY ATTN DRSEL-PL-ENV H. BOMKE
O1CY ATTN J.E. QUIGLEY

COMMANDER
U.S. ARMY COMM-ELEC ENGRG INSTAL AGY
FT. HUACHUCA, AZ 85613
O1CY ATTN CCC-EMEO GEORGE LANE

COMMANDER
U.S. ARMY FOREIGN SCIENCE & TECH CTR
220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
O1CY ATTN DRXST-SD

COMMANDER
U.S. ARMY MATERIAL DEV & READINESS CMD
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
O1CY ATTN DRCLDC J.A. BENDER

COMMANDER
U.S. ARMY NUCLEAR AND CHEMICAL AGENCY
7500 BACKLICK ROAD
BLDG 2073
SPRINGFIELD, VA 22150
O1CY ATTN LIBRARY

DIRECTOR
U.S. ARMY BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MD 21005
O1CY ATTN TECH LIBRARY EDWARD BAICY

COMMANDER
U.S. ARMY SATCOM AGENCY
FT. MONMOUTH, NJ 07703
O1CY ATTN DOCUMENT CONTROL

COMMANDER
U.S. ARMY MISSILE INTELLIGENCE AGENCY
REDSTONE ARSENAL, AL 35809
O1CY ATTN JIM GAMBLE

DIRECTOR
U.S. ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY
WHITE SANDS MISSILE RANGE, NM 88002
O1CY ATTN ATAA-SA
O1CY ATTN TCC/F. PAYAN JR.
O1CY ATTN ATTA-TAC LTC J. HESSE

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360
O1CY ATTN NAVALEX 034 T. HUGHES
O1CY ATTN PME 117
O1CY ATTN PME 117-T
O1CY ATTN CODE 5011

COMMANDING OFFICER
NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, D.C. 20390
O1CY ATTN MR. DUBBIN STIC 12
O1CY ATTN NISC-50
O1CY ATTN CODE 5404 J. GALET

COMMANDER
NAVAL OCCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
O1CY ATTN J. FERGUSON

NAVAL RESEARCH LABORATORY
WASHINGTON, D.C. 20375

O1CY ATTN CODE 4700 S. L. Ossakow
26 CYS IF UNCLASS. 1 CY IF CLASS)
O1CY ATTN CODE 4701 I Vitkovitsky
O1CY ATTN CODE 4780 J. Huba (100
CYS IF UNCLASS, 1 CY IF CLASS)
O1CY ATTN CODE 7500
O1CY ATTN CODE 7550
O1CY ATTN CODE 7580
O1CY ATTN CODE 7551
O1CY ATTN CODE 7555
O1CY ATTN CODE 4730 E. MCLEAN
O1CY ATTN CODE 4108
O1CY ATTN CODE 4730 B. RIPIN
20CY ATTN CODE 2628

COMMANDER
NAVAL SEA SYSTEMS COMMAND
WASHINGTON, D.C. 20362
O1CY ATTN CAPT R. PITKIN

COMMANDER
NAVAL SPACE SURVEILLANCE SYSTEM
DAHLGREN, VA 22448
O1CY ATTN CAPT J.H. BURTON

OFFICER-IN-CHARGE
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
O1CY ATTN CODE F31

DIRECTOR
STRATEGIC SYSTEMS PROJECT OFFICE
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20376
O1CY ATTN NSP-2141
O1CY ATTN NSSP-2722 FRED WIMBERLY

COMMANDER
NAVAL SURFACE WEAPONS CENTER
DAHLGREN LABORATORY
DAHLGREN, VA 22448
O1CY ATTN CODE DF-14 R. BUTLER

OFFICER OF NAVAL RESEARCH
ARLINGTON, VA 22217
O1CY ATTN CODE 465
O1CY ATTN CODE 461
O1CY ATTN CODE 402
O1CY ATTN CODE 420
O1CY ATTN CODE 421

COMMANDER
AEROSPACE DEFENSE COMMAND/DC
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
O1CY ATTN DC MR. LONG

COMMANDER
AEROSPACE DEFENSE COMMAND/XPD
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
O1CY ATTN XPDQQ
O1CY ATTN XP

AIR FORCE GEOPHYSICS LABORATORY
HANSCOM AFB, MA 01731
O1CY ATTN OPR HAROLD GARDNER
O1CY ATTN LKB KENNETH S.W. CHAMPION
O1CY ATTN OPR ALVA T. STAIR
O1CY ATTN PHD JURGEN BUCHAU
O1CY ATTN PHD JOHN P. MULLEN

AF WEAPONS LABORATORY
KIRTLAND AFB, NM 87117
O1CY ATTN SUL
O1CY ATTN CA ARTHUR H. GUENTHER
O1CY ATTN NTYCE 1LT. G. KRAJEI

AFTAC
PATRICK AFB, FL 32925
O1CY ATTN TF/MAJ WILEY
O1CY ATTN TN

AIR FORCE AVIONICS LABORATORY
WRIGHT-PATTERSON AFB, OH 45433
O1CY ATTN AAD WADE HUNT
O1CY ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF
RESEARCH, DEVELOPMENT, & ACQ
DEPARTMENT OF THE AIR FORCE
WASHINGTON, D.C. 20330
O1CY ATTN AFRDQ

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
O1CY ATTN J. DEAS

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/YSEA
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01732
O1CY ATTN YSEA

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/DC
DEPARTMENT OF THE AIR FORCE
HANSCom AFB, MA 01731
O1CY ATTN DCKC MAJ J.C. CLARK

COMMANDER
FOREIGN TECHNOLOGY DIVISION, AFSC
WRIGHT-PATTERSON AFB, OH 45433
O1CY ATTN NICD LIBRARY
O1CY ATTN ETD P B. BALLARD

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
GRIFFISS AFB, NY 13441
O1CY ATTN DOC LIBRARY/TSLD
O1CY ATTN OCSE V. COYNE

SAMSO/SZ
POST OFFICE BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
(SPACE DEFENSE SYSTEMS)
O1CY ATTN SZJ

STRATEGIC AIR COMMAND/XPFS
OFFUTT AFB, NB 68113
O1CY ATTN ADWATE MAJ BRUCE BAUER
O1CY ATTN NRT
O1CY ATTN DOK CHIEF SCIENTIST

SAMSO/SK
P.O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
O1CY ATTN SKA (SPACE COMM SYSTEMS)
M. CLAVIN

SAMSO/MN
NORTON AFB, CA 92409
(MINUTEMAN)
O1CY ATTN MNXL

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
HANSCom AFB MA 01731
O1CY ATTN EEP A. LORENTZEN

DEPARTMENT OF ENERGY
LIBRARY ROOM G-042
WASHINGTON, D.C. 20545
O1CY ATTN DOC CON FOR A. LABOWITZ

DEPARTMENT OF ENERGY
ALBUQUERQUE OPERATIONS OFFICE
P.O. BOX 5400
ALBUQUERQUE, NM 87115
O1CY ATTN DOC CON FOR D. SHERWOOD

EG&G, INC.
LOS ALAMOS DIVISION
P.O. BOX 809
LOS ALAMOS, NM 85544
O1CY ATTN DOC CON FOR J. BREEDLOVE

UNIVERSITY OF CALIFORNIA
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
O1CY ATTN DOC CON FOR TECH INFO DEPT
O1CY ATTN DOC CON FOR L-389 R. OTT
O1CY ATTN DOC CON FOR L-31 R. HAGER
O1CY ATTN DOC CON FOR L-46 F. SEWARD

LOS ALAMOS NATIONAL LABORATORY
P.O. BOX 1663
LOS ALAMOS, NM 87545
O1CY ATTN DOC CON FOR J. WOLCOTT
O1CY ATTN DOC CON FOR R.F. TASCHEK
O1CY ATTN DOC CON FOR E. JONES
O1CY ATTN DOC CON FOR J. MALIK
O1CY ATTN DOC CON FOR R. JEFFRIES
O1CY ATTN DOC CON FOR J. ZINN
O1CY ATTN DOC CON FOR P. KEATON
O1CY ATTN DOC CON FOR D. WESTERVELT
O1CY ATTN D. SAPPENFIELD

SANDIA LABORATORIES
P.O. BOX 5800
ALBUQUERQUE, NM 87115
O1CY ATTN DOC CON FOR W. BROWN
O1CY ATTN DOC CON FOR A. THORNBROUGH
O1CY ATTN DOC CON FOR T. WRIGHT
O1CY ATTN DOC CON FOR D. DAHLGREN
O1CY ATTN DOC CON FOR 3141
O1CY ATTN DOC CON FOR SPACE PROJECT DIV

SANDIA LABORATORIES
LIVERMORE LABORATORY
P.O. BOX 969
LIVERMORE, CA 94550
O1CY ATTN DOC CON FOR B. MURPHEY
O1CY ATTN DOC CON FOR T. COOK

OFFICE OF MILITARY APPLICATION
DEPARTMENT OF ENERGY
WASHINGTON, D.C. 20545
O1CY ATTN DOC CON DR. YO SONG

OTHER GOVERNMENT

DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
WASHINGTON, D.C. 20234
01CY (ALL CORRES: ATTN SEC OFFICER FOR)

INSTITUTE FOR TELECOM SCIENCES
NATIONAL TELECOMMUNICATIONS & INFO ADMIN
BOULDER, CO 80303
01CY ATTN A. JEAN (UNCLASS ONLY)
01CY ATTN W. UTLAUT
01CY ATTN D. CROMBIE
01CY ATTN L. BERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN
ENVIRONMENTAL RESEARCH LABORATORIES
DEPARTMENT OF COMMERCE
BOULDER, CO 80302
01CY ATTN R. GRUBB
01CY ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION
P.O. BOX 92957
LOS ANGELES, CA 90009
01CY ATTN I. GARFUNKEL
01CY ATTN T. SALMI
01CY ATTN V. JOSEPHSON
01CY ATTN S. BOWER
01CY ATTN D. OLSEN

ANALYTICAL SYSTEMS ENGINEERING CORP
5 OLD CONCORD ROAD
BURLINGTON, MA 01803
01CY ATTN RADIO SCIENCES

AUSTIN RESEARCH ASSOC., INC.
1901 RUTLAND DRIVE
AUSTIN, TX 78758
01CY ATTN L. SLOAN
01CY ATTN R. THOMPSON

BERKELEY RESEARCH ASSOCIATES, INC.
P.O. BOX 983
BERKELEY, CA 94701
01CY ATTN J. WORKMAN
01CY ATTN C. PRETTIE
01CY ATTN S. BRECHT

BOEING COMPANY, THE
P.O. BOX 3707
SEATTLE, WA 98124
01CY ATTN G. KEISTER
01CY ATTN D. MURRAY
01CY ATTN G. HALL
01CY ATTN J. KENNEY

CHARLES STARK DRAPER LABORATORY, INC.
555 TECHNOLOGY SQUARE
CAMBRIDGE, MA 02139
01CY ATTN D.B. COX
01CY ATTN J.P. GILMORE

COMSAT LABORATORIES
LINTHICUM ROAD
CLARKSBURG, MD 20734
01CY ATTN G. HYDE

CORNELL UNIVERSITY
DEPARTMENT OF ELECTRICAL ENGINEERING
ITHACA, NY 14850
01CY ATTN D.T. FARLEY, JR.

ELECTROSPACE SYSTEMS, INC.
BOX 1359
RICHARDSON, TX 75080
01CY ATTN H. LOGSTON
01CY ATTN SECURITY (PAUL PHILLIPS)

EOS TECHNOLOGIES, INC.
606 Wilshire Blvd.
Santa Monica, Calif 90401
01CY ATTN C.B. GABBARD

ESL, INC.
495 JAVA DRIVE
SUNNYVALE, CA 94086
01CY ATTN J. ROBERTS
01CY ATTN JAMES MARSHALL

GENERAL ELECTRIC COMPANY
SPACE DIVISION
VALLEY FORGE SPACE CENTER
GODDARD BLVD KING OF PRUSSIA
P.O. BOX 8555
PHILADELPHIA, PA 19101
01CY ATTN M.H. BORTNER SPACE SCI LAB

GENERAL ELECTRIC COMPANY
P.O. BOX 1122
SYRACUSE, NY 13201
01CY ATTN F. REIBERT

GENERAL ELECTRIC TECH SERVICES CO., INC.
HMES
COURT STREET
SYRACUSE, NY 13201
OICY ATTN G. MILLMAN

GEOPHYSICAL INSTITUTE
UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701
(ALL CLASS ATTN: SECURITY OFFICER)
OICY ATTN T.N. DAVIS (UNCLASS ONLY)
OICY ATTN TECHNICAL LIBRARY
OICY ATTN NEAL BROWN (UNCLASS ONLY)

GTE SYLVANIA, INC.
ELECTRONICS SYSTEMS GRP-EASTERN DIV
77 A STREET
NEEDHAM, MA 02194
OICY ATTN DICK STEINHOF

HSS, INC.
2 ALFRED CIRCLE
BEDFORD, MA 01730
OICY ATTN DONALD HANSEN

ILLINOIS, UNIVERSITY OF
107 COBLE HALL
150 DAVENPORT HOUSE
CHAMPAIGN, IL 61820
(ALL CORRES ATTN DAN MCCLELLAND)
OICY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYSES
1801 NO. BEAUREGARD STREET
ALEXANDRIA, VA 22311
OICY ATTN J.M. AEIN
OICY ATTN ERNEST BAUER
OICY ATTN HANS WOLFARD
OICY ATTN JOEL BENGSTON

INTL TEL & TELEGRAPH CORPORATION
500 WASHINGTON AVENUE
NUTLEY, NJ 07110
OICY ATTN TECHNICAL LIBRARY

JAYCOR
11011 TORREYANA ROAD
P.O. BOX 85154
SAN DIEGO, CA 92138
OICY ATTN J.L. SPERLING

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
OICY ATTN DOCUMENT LIBRARIAN
OICY ATTN THOMAS POTEIRA
OICY ATTN JOHN DASSOULAS

KAMAN SCIENCES CORP
P.O. BOX 7463
COLORADO SPRINGS, CO 80933
OICY ATTN T. MEAGHER

KAMAN TEMPO-CENTER FOR ADVANCED STUDIES
816 STATE STREET (P.O. DRAWER QQ)
SANTA BARBARA, CA 93102
OICY ATTN DASIAC
OICY ATTN WARREN S. KNAPP
OICY ATTN WILLIAM MCNAMARA
OICY ATTN B. GAMBILL

LINKABIT CORP
10453 ROSELLE
SAN DIEGO, CA 92121
OICY ATTN IRWIN JACOBS

LOCKHEED MISSILES & SPACE CO., INC
P.O. BOX 504
SUNNYVALE, CA 94088
OICY ATTN DEPT 60-12
OICY ATTN D.R. CHURCHILL

LOCKHEED MISSILES & SPACE CO., INC.
3251 HANOVER STREET
PALO ALTO, CA 94304
OICY ATTN MARTIN WALT DEPT 52-12
OICY ATTN W.L. IMHOF DEPT 52-12
OICY ATTN RICHARD G. JOHNSON DEPT 52-12
OICY ATTN J.B. CLADIS DEPT 52-12

MARTIN MARIETTA CORP
ORLANDO DIVISION
P.O. BOX 5837
ORLANDO, FL 32805
OICY ATTN R. HEFFNER

M.I.T. LINCOLN LABORATORY
P.O. BOX 73
LEXINGTON, MA 02173
OICY ATTN DAVID M. TOWLE
OICY ATTN L. LOUGHLIN
OICY ATTN D. CLARK

MCDONNELL DOUGLAS CORPORATION
5301 BOLSA AVENUE
HUNTINGTON BEACH, CA 92647

01CY ATTN N. HARRIS
01CY ATTN J. MOULE
01CY ATTN GEORGE MROZ
01CY ATTN W. OLSON
01CY ATTN R.W. HALPRIN
01CY ATTN TECHNICAL LIBRARY SERVICES

MISSION RESEARCH CORPORATION
735 STATE STREET

SANTA BARBARA, CA 93101
01CY ATTN P. FISCHER
01CY ATTN W.F. CREVIER
01CY ATTN STEVEN L. GUTSCHE
01CY ATTN R. BOGUSCH
01CY ATTN R. HENDRICK
01CY ATTN RALPH KILB
01CY ATTN DAVE SOWLE
01CY ATTN F. FAJEN
01CY ATTN M. SCHEIBE
01CY ATTN CONRAD L. LONGMIRE
01CY ATTN B. WHITE

MISSION RESEARCH CORP.
1720 RANDOLPH ROAD, S.E.
ALBUQUERQUE, NEW MEXICO 87106

01CY R. STELLINGWERF
01CY M. ALME
01CY L. WRIGHT

MITRE CORPORATION, THE
P.O. BOX 208
BEDFORD, MA 01730

01CY ATTN JOHN MORGANSTERN
01CY ATTN G. HARDING
01CY ATTN C.E. CALLAHAN

MITRE CORP
WESTGATE RESEARCH PARK
1820 DOLLY MADISON BLVD
MCLEAN, VA 22101
01CY ATTN W. HALL
01CY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP
12340 SANTA MONICA BLVD.
LOS ANGELES, CA 90025
01CY ATTN E.C. FIELD, JR.

PENNSYLVANIA STATE UNIVERSITY
IONOSPHERE RESEARCH LAB
318 ELECTRICAL ENGINEERING EAST
UNIVERSITY PARK, PA 16802
(NO CLASS TO THIS ADDRESS)
01CY ATTN IONOSPHERIC RESEARCH LAB

PHOTOMETRICS, INC.
4 ARROW DRIVE
WOBBURN, MA 01801
01CY ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS, INC.
P.O. BOX 3027
BELLEVUE, WA 98009
01CY ATTN E.J. FREMOUN

PHYSICAL DYNAMICS, INC.
P.O. BOX 10367
OAKLAND, CA 94610
ATTN A. THOMSON

R & D ASSOCIATES
P.O. BOX 9695
MARINA DEL REY, CA 90291
01CY ATTN FORREST GILMORE
01CY ATTN WILLIAM B. WRIGHT, JR.
01CY ATTN ROBERT F. LELEVIER
01CY ATTN WILLIAM J. KARZAS
01CY ATTN H. ORY
01CY ATTN C. MACDONALD
01CY ATTN R. TURCO
01CY ATTN L. DeRAND
01CY ATTN W. TSAI

RAND CORPORATION, THE
1700 MAIN STREET
SANTA MONICA, CA 90406
01CY ATTN CULLEN CRAIN
01CY ATTN ED BEDROZIAN

RAYTHEON CO.
528 BOSTON POST ROAD
SUDBURY, MA 01776
01CY ATTN BARBARA ADAMS

RIVERSIDE RESEARCH INSTITUTE
330 WEST 42nd STREET
NEW YORK, NY 10036
01CY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.
1150 PROSPECT PLAZA
LA JOLLA, CA 92037

OICY ATTN LEWIS M. LINSON
OICY ATTN DANIEL A. HAMLIN
OICY ATTN E. FRIEMAN
OICY ATTN E.A. STRAKER
OICY ATTN CURTIS A. SMITH
OICY ATTN JACK MCDUGALL

SCIENCE APPLICATIONS, INC
1710 GOODRIDGE DR.
MCLEAN, VA 22102
ATTN: J. COCKAYNE

SRI INTERNATIONAL
333 RAVENSWOOD AVENUE
MENLO PARK, CA 94025
OICY ATTN DONALD NEILSON
OICY ATTN ALAN BURNS
OICY ATTN G. SMITH
OICY ATTN R. TSUNODA
OICY ATTN DAVID A. JOHNSON
OICY ATTN WALTER G. CHESNUT
OICY ATTN CHARLES L. RINO
OICY ATTN WALTER JAYE
OICY ATTN J. VICKREY
OICY ATTN RAY L. LEADABRAND
OICY ATTN G. CARPENTER
OICY ATTN G. PRICE
OICY ATTN R. LIVINGSTON
OICY ATTN V. GONZALES
OICY ATTN D. MCDANIEL

TECHNOLOGY INTERNATIONAL CORP
75 WIGGINS AVENUE
BEDFORD, MA 01730
OICY ATTN W.P. BOQUIST

TOYON RESEARCH CO.
P.O. Box 6890
SANTA BARBARA, CA 93111
OICY ATTN JOHN ISE, JR.
OICY ATTN JOEL GARBARINO

TRW DEFENSE & SPACE SYS GROUP
ONE SPACE PARK
REDONDO BEACH, CA 90278
OICY ATTN R. K. PLEBUCH
OICY ATTN S. ALTSCHULER
OICY ATTN D. DEE
OICY ATTN D/ STOCKWELL
SNTF/1575

VISIDYNE
SOUTH BEDFORD STREET
BURLINGTON, MASS 01803
OICY ATTN W. REIDY
OICY ATTN J. CARPENTER
OICY ATTN C. HUMPHREY

END

FILMED

84

BT